APPENDIX 1(C) RODENT CONTROL AND TREATMENT REFERENCE SHEET (POISON WORKING GROUP)

RODENT CONTROL & TREATMENT REFERENCE SHEET FOR HOME OWNERS AND FARMERS©
This is only a guideline - read the labels for specific instructions!!
NASHUA Poison Working Group Wildlife Poisoning Helpline
082-446-8946 (24 hrs)

©POISON WORKING GROUP
PO Box 72334, Parkview 2122, South Africa
Telephone 011-486-1157 (office hours)
Fax 011-646-4631
E-mail pwg@ewt.org.za

Compiled by N. Van Zijl & G.H. Verdoorn May 2002 Edition

TRADE NAME	ACTIVE INGREDIENT	FORMULATION	REGISTRATION NUMBER	DOSAGE	APPLICATION	REGISTRATION HOLDER
Avi Curagel **Pest Control Operators ONLY**	Zinc Phosphide 40 g/kg	Gel	L4276	Ready to use gel	**PCO application only**	Avima
Avirat	Warfarin/Sulpha-quinoxaline 5 g/litre	Liquid bait concentrate	L0080	1 Part in 80 parts water	Use with bait station for 16 days	Avima
Eco Mouse	Alpha-cellulose 990 g/kg	Ready to use pellets	L6725	Bait for 16 days	In bait stations Keep bait dry	Efekto
Eco Rat	Alpha-cellulose 990 g/kg	Ready to use pellets	L6724	Bait for 16 days	In bait stations Keep bait dry	Efekto
Killit Rat &Mouse killer	Warfarin 0.375 g/kg	Ready to use bait	L986	Bait for 16 days	Place bait where there is signs of rats	Adcock Ingram
Muti-Ingundane	Coumatetralyl 0.375 g/kg	Ready to use bait	L5718	Bait for 16 days	In bait stations	Growing Manufacturers
Racumin Liquid Rat Poison	Coumatetralyl 8 g/litre	Liquid bait concentrate	L2799	1 Part in 30-40 parts cold drink or water for 16 days	In liquid bait station	Bayer
Racumin Rat and Mouse Bait Blocks	Coumatetralyl 0.375 g/kg	Ready to use bait	L4284	Bait for 16 days	In bait station or ceiling	Bayer
Racumin Tracking Powder	Coumatetralyl 0.375 g/kg	Tracking powder	L0597	Spread lightly	Dust along runways and in burrows	Bayer
Racumin Paste	Coumatetralyl 0.375 g/kg	Ready to use bait	L6401	Bait for 16 days	**Rats ONLY** In ceiling or bait	Bayer

©Endangered Wildlife Trust Poison Working Group, PO Box 72334, Parkview 2122, South Africa. Tel: 011-486-1157 or 082-446-8946; fax: 011-646-4631, e-mail: pwg@ewt.org.za
©Trust vir Bedreigde Natuurlewe Gifstofwerkgroep, Posbus 72334, Parkview 2122, Suid-Afrika. Tel: 011-486-1157 of 082-446-8946; faks: 011-646-4631, e-pos: pwg@ewt.org.za

					stations	
Rinoxin **Pest Control Operators ONLY**	Warfarin/Sulpha-quinoxaline 5 g/litre	Liquid bait concentrate	L2834	1 Part in 80 parts water	**PCO application only**	Pest Control Bureau
Tomcat	Diphacinone 0.05 g/kg	Ready to use pellets	L5412	Bait for 16 days	In ceiling or bait stations	Antec Healthcare

Avi Curagel **SLEGS Plaagbeheer-operateurs**	Sinkfosfied 40 g/kg	Jel	L4276	Gereed om te gebruik jel	**Aanwending alleenlik deur plaag-beheeroperateurs**	Avima
Avirat	Warfarien/Sulfa-kinoksalien 5 g/liter	Lokaaskonsentraat	L0080	1 Deel in 80 dele water	Gebruik in lokaashouer	Avima
Eco Mouse	Alfa-sellulose 990 g/kg	Korrels Gereed vir gebruik	L6725	Gebruik vir 16 dae aaneen	In lokaashouers Hou produk droog	Efekto
Eco Rat	Alfa-sellulose 990 g/kg	Korrels Gereed vir gebruik	L6724	Gebruik vir 16 dae aaneen	In lokaashouers Hou produk droog	Efekto
Killit Rat &Mouse killer	Warfarien 0.375 g/kg	Lokaas Gereed vir gebruik	L986	Gebruik vir 16 dae aaneen	In lokaashouers of plafon	Adcock Ingram
Muti-Ingundane	Kumatetraliel 0.375 g/kg	Lokaas Gereed vir gebruik	L5718	Gebruik vir 16 dae aaneen	In lokaashouers of plafon	Growing Manufacturers
Racumin vloeibare rottegif	Kumatetraliel 8 g/liter	Lokaaskonsentraat	L2799	1 Deel in 30-40 dele koeldrank of water vir 16 dae aaneen	In lokaashouers	Bayer
Racumin rot/muis wasblokke	Kumatetraliel 0.375 g/kg	Lokaasblokke	L4284	Gebruik vir 16 dae aaneen	In lokaashouers of plafon	Bayer
Racumin Spoorpoeier	Kumatetraliel 0.375 g/kg	Lokaas Gereed vir gebruik	L0597	Strooi liggies	Op looproetes of in gate	Bayer
Racumin Pasta	Kumatetraliel 0.375 g/kg	Lokaas Gereed vir gebruik	L6401	Gebruik vir 16 dae aaneen. Raadpleeg etiket	**SLEGS rotte** In lokaashouers of plafon	Bayer
Rinoxin **SLEGS Plaagbeheer-operateurs**	Warfarien/Sulfa-kinoksalien 5 g/liter	Lokaaskonsentraat	L2834	1 Deel in 80 dele water	**Aanwending alleenlik deur plaag-beheeroperateurs**	Pest Control Bureau
Tomcat	Difasinoon 0.05 g/kg	Korrels Gereed vir gebruik	L5412	Gebruik vir 16 dae aaneen	In lokaashouers of plafon	Antec Healthcare

©Endangered Wildlife Trust Poison Working Group, PO Box 72334, Parkview 2122, South Africa. Tel: 011-486-1157 or 082-446-8946; fax: 011-646-4631, e-mail: pwg@ewt.org.za
©Trust vir Bedreigde Natuurlewe Gifstofwerkgroep, Posbus 72334, Parkview 2122, Suid-Afrika. Tel: 011-486-1157 of 082-446-8946; faks: 011-646-4631, e-pos: pwg@ewt.org.za

Compiled by N. van Zijl & G.H. Verdoorn May 2002 Edition Mei 2002 Uitgawe Saamgestel deur N. van Zijl & G.H. Verdoorn
©Endangered Wildlife Trust Poison Working Group, PO Box 72334, Parkview 2122, South Africa. Tel: 011-486-1157 or 082-446-8946; fax: 011-646-4631, e-mail: pwg@ewt.org.za
©Trust vir Bedreigde Natuurlewe Gifstofwerkgroep, Posbus 72334, Parkview 2122, Suid-Afrika. Tel: 011-486-1157 of 082-446-8946; faks: 011-646-4631, e-pos: pwg@ewt.org.za