



WELCOME
Kruger National Park
KRUGER GATE

Distances and traveling times from Kruger Gate to:

Camp / Gate	Distance	Time	Route	Camp / Gate	Distance	Time	Route
Skukuza	12	0h25	H11	Lower Sabie	53	1h50	H4-1
Phabeni Gate	33	1h10	S1	Crocodile Bridge	88	2h56	H4-1
Numbi Gate	65	2h10	H1-1	Biyamiti	48	1h55	S114
Pretorius Kop	60	2h00	H1-1	Tshokwane	54	1h50	H1-2
Berg en Dal	83	2h45	H3	Satara	104	3h30	H1-3
Malelane Gate	74	2h30	H3	Orpen Gate	152	5h05	H7

i13

1600

Number of signs required: 1

Colouring and style as per SANParks Signage Guide:

Kudu kop and lettering in white on green: Kudu Kop 340mm tall
 Green = Pantone 357 CVC or
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black
 Lettering - 100mm tall
 Spacing between lines - 20mm
 Spacing on top and bottom of section - 30mm

Heading Lettering - 80mm tall

Body lettering - 40mm
 Spacing between lines 15mm
 Spacing on top and bottom of section - 30mm

i-nr - 40mm tall bottom right corner

400

986

580



WELCOME
Kruger National Park
PHABENI GATE

Distances and traveling times from Phabeni Gate to:

Camp / Gate	Distance	Time	Route	Camp / Gate	Distance	Time	Route
Numbi Gate	22	0h55	S3	Lower Sabie	91	3h05	H4-1
Pretorius Kop	23	0h55	S7	Skukuza	38	1h20	S1
Berg en Dal	110	3h40	H3	Kruger Gate	33	1h10	S1
Malelane Gate	102	3h25	H3	Tshokwane	81	2h45	H1-2
Biyamiti	77	3h05	S114	Satara	131	4h25	H1-3
Crocodile Bridge	115	3h50	H4-2	Orpen Gate	175	5h50	H7

i22

1600

Number of signs required:

1

Colouring and style as per SANParks Signage Guide:

Kudu kop and lettering in white on green: Kudu Kop 340mm tall
 Green = Pantone 357 CVC or
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black
 Lettering - 100mm tall
 Spacing between lines - 20mm
 Spacing on top and bottom of section - 30mm

Heading Lettering - 80mm tall

Body lettering - 40mm
 Spacing between lines 15mm
 Spacing on top and bottom of section - 30mm

i-nr - 40mm tall bottom right corner



WELCOME
Kruger National Park
NUMBI GATE

Distances and traveling times from Numbi Gate to:

Camp / Gate	Distance	Time	Route	Camp / Gate	Distance	Time	Route
Pretorius Kop	9	0h20	H1-1	Lower Sabie	95	3h10	H4-1
Phabeni Gate	22	0h55	S3	Skukuza	54	1h50	H1-1
Berg en Dal	101	3h25	H3	Kruger Gate	65	2h10	H1-1
Malelane Gate	91	3h05	H3	Tshokwane	97	3h15	H1-2
Biyamiti	76	3h05	H2-2	Satara	147	4h55	H1-3
Crocodile Bridge	130	4h20	H4-2	Orpen Gate	195	6h30	H7

i20

1600

Number of signs required:

1

Colouring and style as per SANParks Signage Guide:

Kudu kop and lettering in white on green: Kudu Kop 340mm tall
 Green = Pantone 357 CVC or
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black
 Lettering - 100mm tall
 Spacing between lines - 20mm
 Spacing on top and bottom of section - 30mm

Heading Lettering - 80mm tall

Body lettering - 40mm
 Spacing between lines 15mm
 Spacing on top and bottom of section - 30mm

i-nr - 40mm tall bottom right corner



WELCOME
Kruger National Park
MALELANE GATE

Distances and traveling times from Malelane Gate to:

Camp / Gate	Distance	Time	Route	Camp / Gate	Distance	Time	Route
Phabeni Gate	102	3H25	S1	Lower Sabie	105	3H30	H4-1
Numbi Gate	91	3h05	H1-1	Skukuza	64	2H10	H3
Pretorius Kop	82	2H45	H1-1	Kruger Gate	74	2h30	H11
Berg en Dal	12	0H25	S110	Tshokwane	106	3H35	H1-2
Biyamiti	38	1H30	S25	Satara	156	5H15	H1-3
Crocodile Bridge	56	2h15	S25	Orpen Gate	204	6H50	H7

i29

1600

Number of signs required:

1

400

Colouring and style as per SANParks Signage Guide:
 Kudu kop and lettering in white on green: Kudu Kop 340mm tall
 Green = Pantone 357 CVC or
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black
 Lettering - 100mm tall
 Spacing between lines - 20mm
 Spacing on top and bottom of section - 30mm

580

980

Heading Lettering - 80mm tall

Body lettering - 30mm
 Spacing between lines 15mm
 Spacing on top and bottom of section - 30mm

i-nr - 40mm tall bottom right corner



WELCOME
Kruger National Park
CROCODILE BRIDGE GATE

Distances and traveling times from Crocodile Bridge to:

Camp / Gate	Distance	Time	Route	Camp / Gate	Distance	Time	Route
Lower Sabie	34	1h10	H4-2	Numbi Gate	131	4h25	H4-1
Biyamiti	26	1h05	S25	Berg en Dal	64	2h35	S25
Skukuza	77	2h35	H4-1	Malelane Gate	56	2h15	S25
Kruger Gate	88	2h55	H4-1	Tshokwane	76	2h35	H10
Phabeni Gate	115	3h50	H4-1	Satara	127	4h15	H10
Pretorius Kop	125	4h10	H4-1	Orpen Gate	175	5h50	H10

i34

1600

Number of signs required:

1

400

580

980

Colouring and style as per SANParks Signage Guide:
 Kudu kop and lettering in white on green: Kudu Kop 340mm tall
 Green = Pantone 357 CVC or
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black
 Lettering - 100mm tall
 Spacing between lines - 20mm
 Spacing on top and bottom of section - 30mm

Heading Lettering - 80mm tall

Body lettering - 40mm
 Spacing between lines 15mm
 Spacing on top and bottom of section - 30mm

i-nr - 40mm tall bottom right corner



WELCOME
Kruger National Park
ORPEN GATE

Distances and traveling times from Orpen Gate to:

Camp / Gate	Distance	Time	Route	Camp / Gate	Distance	Time	Route
Orpen Camp	7	0h15	H7	Lower Sabie	148	4h55	H10
Satara	55	1h50	H7	Crocodile Bridge	182	6h10	H4-2
Talamati	39	1h35	S140	Olifants	109	3h40	H1-5
Skukuza	144	4h50	H4-2	Letaba	124	4h10	H1-5
Pretorius Kop	191	6h25	H1-1	Phalaborwa Gate	174	5h50	H-9
Berg en Dal	220	7h20	H3	Mopani	171	5h45	H1-6

i50

1600

Number of signs required:

1

400

Colouring and style as per SANParks Signage Guide:
 Kudu kop and lettering in white on green: Kudu Kop 340mm tall
 Green = Pantone 357 CVC or
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black
 Lettering - 100mm tall
 Spacing between lines - 20mm
 Spacing on top and bottom of section - 30mm

580

Heading Lettering - 80mm tall

Body lettering - 40mm
 Spacing between lines 15mm
 Spacing on top and bottom of section - 30mm

i-nr - 40mm tall bottom right corner

980



WELCOME
Kruger National Park
PHALABORWA GATE

Distances and traveling times from Phalaborwa Gate to:

Camp / Gate	Distance	Time	Route	Camp / Gate	Distance	Time	Route
Letaba	51	1h45	H-9	Shimuwini	49	2h00	SI41
Olifants	83	2h45	H1-5	Giriyondo Gate	88	3h30	H15
Satara	119	4h00	H1-4	Mopani	74	2h30	H14
Orpen Camp	167	5h35	H7	Bateleur	129	4h30	S52
Skukuza	213	7h10	H1-2	Shingwedzi	137	4h35	H1-6
Malelane Gate	277	9h15	H3	Punda Maria	201	6h45	H13-1

i80

1600

Number of signs required:

1

Colouring and style as per SANParks Signage Guide:

Kudu kop and lettering in white on green: Kudu Kop 340mm tall
 Green = Pantone 357 CVC or
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black
 Lettering - 100mm tall
 Spacing between lines - 20mm
 Spacing on top and bottom of section - 30mm

Heading Lettering - 80mm tall

Body lettering - 40mm
 Spacing between lines 15mm
 Spacing on top and bottom of section - 30mm

i-nr - 40mm tall bottom right corner




WELCOME
Kruger National Park
GIRIYONDO GATE

Distances and traveling times from Giriyondo Gate to:

Camp / Gate	Distance	Time	Route	Camp / Gate	Distance	Time	Route
Letaba	37	1h30	H1-6	Phalaborwa Gate	88	3h30	H-9
Olifants	77	3h00	H1-5	Shimuwini	65	2h35	S141
Satara	106	3h35	H1-4	Mopani	49	2h00	H1-6
Orpen Camp	154	5h10	H7	Bateleur	105	4h00	S52
Skukuza	199	6h40	H1-2	Shingwedzi	112	3h45	H1-6
Malelane Gate	263	8h45	H3	Punda Maria	173	5h50	H13-1

i78



Colouring and style as per SANParks Signage Guide:
 Kudu kop and lettering in white on green: Kudu Kop 340mm tall
 Green = Pantone 357 CVC or
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black
 Lettering - 100mm tall
 Spacing between lines - 20mm
 Spacing on top and bottom of section - 30mm

Heading Lettering - 80mm tall

Body lettering - 40mm
 Spacing between lines 15mm
 Spacing on top and bottom of section - 30mm

i-nr - 40mm tall bottom right corner

1600

Number of signs required: 1



WELCOME
Kruger National Park
PUNDA MARIA GATE

Distances and traveling times from Punda Maria Gate to:

Camp / Gate	Distance	Time	Route	Camp / Gate	Distance	Time	Route
Punda Maria Camp	10	0h20	H13-2	Shingwedzi	73	2h25	H1-7
Pafuri Picnic Site	62	2h05	H1-8	Bateleur	104	3h45	H1-7
Pafuri Border Gate	73	2h25	H1-8	Mopani	132	4h25	H1-6
Pafuri Border	75	2h30	H1-8	Giriyondo Gate	173	5h50	H15
Pafuri Gate	81	2h45	H1-8	Letaba	178	5h55	H1-6
Sirheni	53	1h45	H1-7	Phalaborwa Gate	210	7h00	H14

i108

1600

Number of signs required:

1

Colouring and style as per SANParks Signage Guide:

Kudu kop and lettering in white on green: Kudu Kop 340mm tall
 Green = Pantone 357 CVC or
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black
 Lettering - 100mm tall
 Spacing between lines - 20mm
 Spacing on top and bottom of section - 30mm

Heading Lettering - 80mm tall

Body lettering - 40mm
 Spacing between lines 15mm
 Spacing on top and bottom of section - 30mm

i-nr - 40mm tall bottom right corner



WELCOME
Kruger National Park
PAFURI BORDER GATE

Distances and traveling times from Pafuri Border Gate to:

Camp / Gate	Distance	Time	Route	Camp / Gate	Distance	Time	Route
Pafuri Picnic Site	15	0h35	S63	Mopani	167	5h35	HI-6
Pafuri Gate	42	1h25	HI-9	Giriyondo Gate	216	7h15	HI5
Punda Maria Gate	73	2h30	HI3-1	Letaba	213	7h05	HI-6
Sirheni	84	2h50	HI-7	Shimuwini	206	6h55	HI4
Shingwedzi	104	3h30	HI-7	Phalaborwa Gate	241	8h00	HI4
Bateleur	135	4h30	S52	Olifants	245	8h10	HI-5

i113

1600

Number of signs required: 1

400

580

980

Colouring and style as per SANParks Signage Guide:
 Kudu kop and lettering in white on green: Kudu Kop 340mm tall
 Green = Pantone 357 CVC or
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black
 Lettering - 100mm tall
 Spacing between lines - 20mm
 Spacing on top and bottom of section - 30mm

Heading Lettering - 80mm tall

Body lettering - 40mm
 Spacing between lines 15mm
 Spacing on top and bottom of section - 30mm

i-nr - 40mm tall bottom right corner



WELCOME
Kruger National Park
PAFURI GATE

Distances and traveling times from Pafuri Gate to:

Camp / Gate	Distance	Time	Route	Camp / Gate	Distance	Time	Route
Pafuri Picnic Site	31	1h15	S63	Bateleur	143	4h55	S52
Pafuri Border Gate	42	1h25	S63	Mopani	172	5h45	H1-6
Pafuri Border	44	1h30	S63	Giriyondo Gate	221	7h30	H15
Punda Maria Camp	79	2h40	H13-1	Letaba	218	7h15	H1-6
Sirheni	92	3h05	H1-7	Shimuwini	209	7h00	H14
Shingwedzi	112	3h45	H1-7	Phalaborwa Gate	249	8h20	H14

i116

1600

Number of signs required:

1

400

980

580

Colouring and style as per SANParks Signage Guide:
 Kudu kop and lettering in white on green: Kudu Kop 340mm tall
 Green = Pantone 357 CVC or
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black
 Lettering - 100mm tall
 Spacing between lines - 20mm
 Spacing on top and bottom of section - 30mm

Heading Lettering - 80mm tall

Body lettering - 40mm
 Spacing between lines 15mm
 Spacing on top and bottom of section - 30mm

i-nr - 40mm tall bottom right corner