



**Number of signs required:**

1

1800mm

**Colouring and style as per SANParks Signage Guide:**  
 Kudu kop and lettering in white on green: Kudu Kop 340mm tall  
 Green = Pantone 357 CVC or  
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black  
 Lettering - 100mm tall  
 Spacing between lines - 20mm  
 Spacing on top and bottom of section - 30mm

Restriction signs square with rounded corners - 200 x 200 mm  
 Restrictions indicated by diagonal line from left top to right bottom  
 Pantone 357 CVC icon on white with red boundary and diagonal line  
 Lettering - 30mm with 15mm spacing between lines  
 Spacing top and bottom of icon group - 30mm  
 Warning Triangle size - 450 x 450 mm Square  
 "BEWARE": - 55mm tall

Lettering - 80mm tall  
 Spacing between lines 20mm  
 Spacing on top and bottom of section - 30mm



1800mm

**Number of signs required:**

1

400	1265	<p><b>Colouring and style as per SANParks Signage Guide:</b>          Kudu kop and lettering in white on green: Kudu Kop 340mm tall          Green = Pantone 357 CVC or          CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black          Lettering - 100mm tall          Spacing between lines - 20mm          Spacing on top and bottom of section - 30mm</p>
625		<p>Restriction signs square with rounded corners - 200 x 200 mm          Restrictions indicated by diagonal line from left top to right bottom          Pantone 357 CVC icon on white with red boundary and diagonal line          Lettering - 30mm with 15mm spacing between lines          Spacing top and bottom of icon group - 30mm          Warning Triangle size - 450 x 450 mm Square          "BEWARE": - 55mm tall</p>
240		<p>Lettering - 80mm tall          Spacing between lines 20mm          Spacing on top and bottom of section - 30mm</p>



1800mm

**Number of signs required:**

1

400	1265	<p><b>Colouring and style as per SANParks Signage Guide:</b>          Kudu kop and lettering in white on green: Kudu Kop 340mm tall          Green = Pantone 357 CVC or          CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black          Lettering - 100mm tall          Spacing between lines - 20mm          Spacing on top and bottom of section - 30mm</p>
625		<p>Restriction signs square with rounded corners - 200 x 200 mm          Restrictions indicated by diagonal line from left top to right bottom          Pantone 357 CVC icon on white with red boundary and diagonal line          Lettering - 30mm with 15mm spacing between lines          Spacing top and bottom of icon group - 30mm          Warning Triangle size - 450 x 450 mm Square          "BEWARE": - 55mm tall</p>
240		<p>Lettering - 80mm tall          Spacing between lines 20mm          Spacing on top and bottom of section - 30mm</p>



1800mm

**Number of signs required:**

1

400	1265	<p><b>Colouring and style as per SANParks Signage Guide:</b>          Kudu kop and lettering in white on green: Kudu Kop 340mm tall          Green = Pantone 357 CVC or          CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black          Lettering - 100mm tall          Spacing between lines - 20mm          Spacing on top and bottom of section - 30mm</p>
625		<p>Restriction signs square with rounded corners - 200 x 200 mm          Restrictions indicated by diagonal line from left top to right bottom          Pantone 357 CVC icon on white with red boundary and diagonal line          Lettering - 30mm with 15mm spacing between lines          Spacing top and bottom of icon group - 30mm          Warning Triangle size - 450 x 450 mm Square          "BEWARE": - 55mm tall</p>
240		<p>Lettering - 80mm tall          Spacing between lines 20mm          Spacing on top and bottom of section - 30mm</p>



1800mm

**Number of signs required:**

1

400	1265	<p><b>Colouring and style as per SANParks Signage Guide:</b>          Kudu kop and lettering in white on green: Kudu Kop 340mm tall          Green = Pantone 357 CVC or          CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black          Lettering - 100mm tall          Spacing between lines - 20mm          Spacing on top and bottom of section - 30mm</p>
625		<p>Restriction signs square with rounded corners - 200 x 200 mm          Restrictions indicated by diagonal line from left top to right bottom          Pantone 357 CVC icon on white with red boundary and diagonal line          Lettering - 30mm with 15mm spacing between lines          Spacing top and bottom of icon group - 30mm          Warning Triangle size - 450 x 450 mm Square          "BEWARE": - 55mm tall</p>
240		<p>Lettering - 80mm tall          Spacing between lines 20mm          Spacing on top and bottom of section - 30mm</p>



1800mm

**Number of signs required:**

1

400

625

1265

240

**Colouring and style as per SANParks Signage Guide:**  
 Kudu kop and lettering in white on green: Kudu Kop 340mm tall  
 Green = Pantone 357 CVC or  
 CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black  
 Lettering - 100mm tall  
 Spacing between lines - 20mm  
 Spacing on top and bottom of section - 30mm

Restriction signs square with rounded corners - 200 x 200 mm  
 Restrictions indicated by diagonal line from left top to right bottom  
 Pantone 357 CVC icon on white with red boundary and diagonal line  
 Lettering - 30mm with 15mm spacing between lines  
 Spacing top and bottom of icon group - 30mm  
 Warning Triangle size - 450 x 450 mm Square  
 "BEWARE": - 55mm tall

Lettering - 80mm tall  
 Spacing between lines 20mm  
 Spacing on top and bottom of section - 30mm



1800mm

**Number of signs required:**

1

400	1265	<p><b>Colouring and style as per SANParks Signage Guide:</b>          Kudu kop and lettering in white on green: Kudu Kop 340mm tall          Green = Pantone 357 CVC or          CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black          Lettering - 100mm tall          Spacing between lines - 20mm          Spacing on top and bottom of section - 30mm</p>
625		<p>Restriction signs square with rounded corners - 200 x 200 mm          Restrictions indicated by diagonal line from left top to right bottom          Pantone 357 CVC icon on white with red boundary and diagonal line          Lettering - 30mm with 15mm spacing between lines          Spacing top and bottom of icon group - 30mm          Warning Triangle size - 450 x 450 mm Square          "BEWARE": - 55mm tall</p>
240		<p>Lettering - 80mm tall          Spacing between lines 20mm          Spacing on top and bottom of section - 30mm</p>



1800mm

**Number of signs required:**

1

400	1265	<p><b>Colouring and style as per SANParks Signage Guide:</b>          Kudu kop and lettering in white on green: Kudu Kop 340mm tall          Green = Pantone 357 CVC or          CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black          Lettering - 100mm tall          Spacing between lines - 20mm          Spacing on top and bottom of section - 30mm</p>
625		<p>Restriction signs square with rounded corners - 200 x 200 mm          Restrictions indicated by diagonal line from left top to right bottom          Pantone 357 CVC icon on white with red boundary and diagonal line          Lettering - 30mm with 15mm spacing between lines          Spacing top and bottom of icon group - 30mm          Warning Triangle size - 450 x 450 mm Square          "BEWARE": - 55mm tall</p>
240		<p>Lettering - 80mm tall          Spacing between lines 20mm          Spacing on top and bottom of section - 30mm</p>



1800mm

**Number of signs required:**

1

400	1265	<p><b>Colouring and style as per SANParks Signage Guide:</b>          Kudu kop and lettering in white on green: Kudu Kop 340mm tall          Green = Pantone 357 CVC or          CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black          Lettering - 100mm tall          Spacing between lines - 20mm          Spacing on top and bottom of section - 30mm</p>
625		<p>Restriction signs square with rounded corners - 200 x 200 mm          Restrictions indicated by diagonal line from left top to right bottom          Pantone 357 CVC icon on white with red boundary and diagonal line          Lettering - 30mm with 15mm spacing between lines          Spacing top and bottom of icon group - 30mm          Warning Triangle size - 450 x 450 mm Square          "BEWARE": - 55mm tall</p>
240		<p>Lettering - 80mm tall          Spacing between lines 20mm          Spacing on top and bottom of section - 30mm</p>



1800mm

**Number of signs required:**

1

400	1265	<p><b>Colouring and style as per SANParks Signage Guide:</b>          Kudu kop and lettering in white on green: Kudu Kop 340mm tall          Green = Pantone 357 CVC or          CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black          Lettering - 100mm tall          Spacing between lines - 20mm          Spacing on top and bottom of section - 30mm</p>
625		<p>Restriction signs square with rounded corners - 200 x 200 mm          Restrictions indicated by diagonal line from left top to right bottom          Pantone 357 CVC icon on white with red boundary and diagonal line          Lettering - 30mm with 15mm spacing between lines          Spacing top and bottom of icon group - 30mm          Warning Triangle size - 450 x 450 mm Square          "BEWARE": - 55mm tall</p>
240		<p>Lettering - 80mm tall          Spacing between lines 20mm          Spacing on top and bottom of section - 30mm</p>



1800mm

**Number of signs required:**

1

400	1265	<p><b>Colouring and style as per SANParks Signage Guide:</b>          Kudu kop and lettering in white on green: Kudu Kop 340mm tall          Green = Pantone 357 CVC or          CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black          Lettering - 100mm tall          Spacing between lines - 20mm          Spacing on top and bottom of section - 30mm</p>
625		<p>Restriction signs square with rounded corners - 200 x 200 mm          Restrictions indicated by diagonal line from left top to right bottom          Pantone 357 CVC icon on white with red boundary and diagonal line          Lettering - 30mm with 15mm spacing between lines          Spacing top and bottom of icon group - 30mm          Warning Triangle size - 450 x 450 mm Square          "BEWARE": - 55mm tall</p>
240		<p>Lettering - 80mm tall          Spacing between lines 20mm          Spacing on top and bottom of section - 30mm</p>



1800mm

**Number of signs required:**

1

400	1265	<p><b>Colouring and style as per SANParks Signage Guide:</b>          Kudu kop and lettering in white on green: Kudu Kop 340mm tall          Green = Pantone 357 CVC or          CMYK - 4 process colour: 79% Cyan; 0% - Magenta; 87% - Yellow; 56% - Black          Lettering - 100mm tall          Spacing between lines - 20mm          Spacing on top and bottom of section - 30mm</p>
625		<p>Restriction signs square with rounded corners - 200 x 200 mm          Restrictions indicated by diagonal line from left top to right bottom          Pantone 357 CVC icon on white with red boundary and diagonal line          Lettering - 30mm with 15mm spacing between lines          Spacing top and bottom of icon group - 30mm          Warning Triangle size - 450 x 450 mm Square          "BEWARE": - 55mm tall</p>
240		<p>Lettering - 80mm tall          Spacing between lines 20mm          Spacing on top and bottom of section - 30mm</p>