

PEST SPECIES MORPHOLOGICAL PHASE PESTICIDE ACTIVE INGREDIENT PESTICIDE/CHEMICAL CLASS

PEST	SPECIES	MORPHOLOGICAL PHASE	PESTICIDE ACTIVE INGREDIENT	PESTICIDE/CHEMICAL CLASS
Cockroaches	Various spp.	Adult	Alpha - cypermethrin	Pyrethroid
			Deltamethrin	Pyrethroid
			Cyfluthrin	Pyrethroid
			Beta-cyfluthrin	Pyrethroid
		Larvae	Triflumuron	Benoylurea
Bed Bugs	Various spp.	n/a	Permethrin	Pyrethroid
Rats and Mice	n/a	n/a	Coumatetralyl	Coumarin anti-coagulant
			Warfarin/Sulphaquinoxaline	Coumarin anti-coagulant
Termites	Sub-terranean wood destroying	n/a	Imidacloprid	Chloronicotinyl
Thatch mites	n/a	n/a	Permethrin	Pyrethroid
Bees	n/a	n/a		Pyrethroid
			Permethrin	Pyrethroid
Ants	n/a	n/a	Permethrin See Cockroach	Pyrethroid See Cockroach

PEST	SPECIES	MORPHOLOGICAL PHASE	PESTICIDE INGREDIENT	ACTIVE	PESTICIDE/CHEMICAL CLASS
Mosquitoes	n/a	Smooth walls	Beta-cyfluthrin		Pyrethroid
			Deltamethrin		Pyrethroid
			Cyfluthrin		Pyrethroid
			Lambda-cyhalothrin		Pyrethroid
		Alpha - cypermethrin		Cyanamid	
		Rough walls	Permethrin		Pyrethroid
			Propoxur		Carbomate
		Mozzie nets/clothing	Cyfluthrin		Pyrethroid
			Cyfluthrin		Pyrethroid
Fleas			See Cockroach		See Cockroach
Fishmoths			See Cockroach		See Cockroach
Ticks					Pyrethroid

PESTICIDE	FORM	COMPANY NAME	GRAMS PER ACTIVE INGREDIENT	DOSAGE
Fendona	AL	Cyanamid	1g/l	Undiluted
	SC	Cyanamid	100g/l	25-50ml
			60g/l	40-85ml
K-Othrine	EW or HN	AgrEvo		
Responsar	SC	Bayer	125g/l	20-40ml
Tempo		Bayer		
Starycide	SC	Bayer	480g/l	10ml/10l

PESTICIDE	FORM	COMPANY NAME	GRAMS PER ACTIVE INGREDIENT	DOSAGE
Coopex maxi/mini smoke generator	FD	AgrEvo	135g/kg	1 tin/120-1000m3
Coopex dust	DP	AgrEvo	5g/kg	na
Racumin	CB (l)	Bayer	7.5g/kg	1 part in 15-20 parts bait material undiluted
Kill-it?Rinoxin				
Premise	SC	Bayer	350g/l	145ml
Coopex maxi/mini smoke generator	FD	AgrEvo	135g/kg	1 tin/120-1000m3
Raidyard Coltar or Jays fluid	Spray			
Coopex ant dust	DP	AgrEvo	5g/kg na	Na
Fendona	See Cockroach	See Cockroach	See Cockroach	See Cockroach
Tempo	SC	Bayer	125g/l	20-40ml
K-Othrin	EW or HN#	Bayer		
Responsar	WP	Zeneca	100g/kg	78g (1 sachet of 62.5g/8l of water)
Icon	AL	Cyanamid	1g/l	Undiluted
Fendona	SC	Cyanamid	100g/l 60g/l	25-50ml 40-85ml
Coopex	WP	AgrEvo	250g/kg	25-50g
Baygon	WP	Bayer	500g/kg	?
Baythroid	WP	Bayer	100g/kg	20-40g
Solfac	EW	Bayer	50g/l 50g/l	40-80ml 66ml
Peripell				
See Cockroach	See Cockroach	See Cockroach	See Cockroach	See Cockroach
See Cockroach	See Cockroach	See Cockroach	See Cockroach	See Cockroach

PESTICIDE	FORM	COMPANY NAME	GRAMS PER ACTIVE INGREDIENT	DOSAGE
Bayticol				

DIRECTIONS FOR USE	ADDITIONAL INFORMATION
<p>Apply directly onto insect or to areas frequented by pest Coarse spray or brush onto surfaces frequented by cockroaches Use higher rate for longer residual action or where infestation is severe Repeat when necessary</p> <p>Coarse spray or brush onto surfaces frequented by pests Use higher rate under extremely dirty conditions or for longer residual action Insect growth regulator: Coarse spray onto surfaces frequented by cockroaches Use higher rate in areas of high infestation or for longer residual action Mix with Fendona spray - apply as one treatment</p>	<p>Will also control ants. Insect chalk says deltamethrin - not really</p> <p>Also works on fleas</p> <p>Effective for about 3 months in summer, 6 months in winter</p>
<p>Ignite and let smoulder for 2-3 hours Dust freely onto surfaces frequented by bedbugs</p>	<p>Lasts about 6 months. Also controls adult cockroaches.</p>
<p>8g/l: 1 part in 30-40 parts water. 1l : 7l pinenut (lecol) Add 40ml Racumin CB (I) Keep available for 16 days refilling as required</p>	<p>1st generation poison: animals need multiple feeds to die. Won't poison if something eats them. Rats drink daily. Bait at night after dark, minimise other animals using. Use secluded spots where other animals wont drink Remove during the day. Will start to die 4-7 days</p>
<p>350g/l - dosage 145 ml?. 6x6 inch trench around building - 3-6l/linear meter Prior to erection - 5l/m2</p>	<p>Expensive (R1000/l) 1l makes 70l spray mix Lasts up to 6 years</p>
<p>Ignite and let smoulder for 2-3 hours</p>	<p>Lasts about 6 months. Also controls adult cockroaches.</p>
<p>Spray from 6m away Wash area with this after spray, to rid of pheromones Then wash with soapy water</p>	<p>Use higher rate under extremely dirty conditions or for longer residual action</p>
<p>Apply directly onto insect or to areas frequented by pest</p>	

<p>Coarse spray or brush onto surfaces frequented by cockroaches</p> <p>Coarse spray onto surfaces. Use higher rates for longer residual action</p> <p>Spray or paint onto surfaces to point of run-off. Use higher rate for longer residual action</p> <p>Spray onto surfaces. Use higher rate for longer residual action. For contact repelling of mosquitoes-dip mosquito net for a few minutes in freshly prepared emulsion and allow to dry. Repeat every third to fourth wash.</p>	<p>Rapid breakdown but bad smelling</p> <p>Molecules stick to surface for up to 6 washes</p>
--	--